


ručne pumpe za naginjanje kabine na motornim vozilima

hand pumps for vehicle cab lifting

- ✓ Ručne pumpe klipnog tipa, visokog pritiska, malih dimenzija
 - ✓ Namenjene za rad u hidrauličkom sistemu sa jednosmernim ili dvosmernim cilindrom
 - ✓ Potpuno zaštićeni klipovi u pumpi od dejstva prljavštine i atmosferskih uticaja
 - ✓ Ugrađen filtar za zaštitu od prljavštine osetljivih prigušnih otvora i ventila
 - ✓ Delovi pumpe proizvedeni od visoko kvalitetnih materijala sa odgovarajućom termičkom obradom i galvanskom zaštitom
 - ✓ Serijska proizvodnja - ispitivanje svih pumpi nakon montaže
-
- ✓ Hand pumps piston type, high pressure, small overall dimensions
 - ✓ Can be applied to hydraulic system including single - acting or double - acting cylinder
 - ✓ The design with pistons protected against impurities and ambient influence
 - ✓ Integral filter by protectig sensitive throttle holes and valves against impurities
 - ✓ Pump parts are manufactured from high materials, adequately heat treated and electro - plated
 - ✓ Serial production, all pumps are tested after assembly

PRESEK-PRINCIP RADA

SECTION-MODE OF OPERATION



Radna tečnost: - mineralno hidrauličko ulje
- viskozitet 20 ... 400

*) za pumpu KAMAZ = AMG 10

Working fluid: - mineral hydraulic oil

*) for pump KAMAZ = AMG 10

OZNAKA / DESIGNATION

OEM:




KAPACITET za jedan ciklus / DISPLACEMENT per a cycle

4,6 cm³

VOZILO / VEHICLE


DAF

2,4 kg



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev $\varnothing 6$ / $\varnothing 6$ pipe

symbol



položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point

OZNAKA / DESIGNATION

OEM: 6002-31-71(991318954)



KAPACITET za jedan ciklus / DISPLACEMENT per a cycle

5,0 cm³


VOZILO / VEHICLE

DPH

2,5 kg




Pogled "x"
View "x"



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev $\varnothing 6$ / $\varnothing 6$ pipe

symbol



položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point

OZNAKA / DESIGNATION

OEM: 1378527(983212900)



KAPACITET za jedan ciklus / DISPLACEMENT per a cycle

5,0 cm³


VOZILO / VEHICLE

SCANIA

2,4 kg




Pogled "x"
View "x"



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev $\varnothing 6$ / $\varnothing 6$ pipe

symbol



položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point




OZNAKA / DESIGNATION

OEM: 3943330(964936185)

KAPACITET za jedan ciklus / DISPLACEMENT per a cycle
5,0 cm³



VOZILO / VEHICLE

2,6 kg




položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point



Pogled "x"
View "x"



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev Ø 6 / Ø 6 pipe




OZNAKA / DESIGNATION

OEM: 3943332(97486331)

KAPACITET za jedan ciklus / DISPLACEMENT per a cycle
5,0 cm³



VOZILO / VEHICLE

2,5 kg




položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point



Pogled "x"
View "x"



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev Ø 6 / Ø 6 pipe




OZNAKA / DESIGNATION

OEM: 1075296(991319295)

KAPACITET za jedan ciklus / DISPLACEMENT per a cycle
5,0 cm³


VOZILO / VEHICLE

2,8 kg





položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point



Pogled "x"
View "x"



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev Ø 6 / Ø 6 pipe

OZNAKA / DESIGNATION


OEM:

KAPACITET za jedan ciklus / DISPLACEMENT per a cycle
5,0 cm³

VOZILO / VEHICLE



2,5 kg

symbol



položaj ugradnje:
vertikalno, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point



- ③ Nalivnik - oduška
Oil filling - Air vent
- ⑤ O - ring 8,3x2,4

OZNAKA / DESIGNATION

OEM: 1314(001430390)


KAPACITET za jedan ciklus / DISPLACEMENT per a cycle
5,0 cm³

VOZILO / VEHICLE

SCANIA

2,5 kg

symbol





položaj ugradnje:
vertikalno, oduška
na najvišem nivou


mountig position:
vertical, air vent
at the highest point



Pogled "x"
View "x"



← x



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev Ø 6 / Ø 6 pipe

OZNAKA / DESIGNATION

OEM: 99458103


KAPACITET za jedan ciklus / DISPLACEMENT per a cycle
4,0 cm³

VOZILO / VEHICLE

IVECO

2,5 kg

symbol





položaj ugradnje:
vertikalno, oduška
na najvišem nivou


mountig position:
vertical, air vent
at the highest point



Pogled "x"
View "x"



← x



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev Ø 6 / Ø 6 pipe



OEM:

KAPACITET za jedan ciklus / DISPLACEMENT per a cycle


5,0 cm³

VOZILO / VEHICLE





2,5 kg

symbol




položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point



Pogled "x"
View "x"



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev Ø 6 / Ø 6 pipe

OZNAKA / DESIGNATION

OEM:

KAPACITET za jedan ciklus / DISPLACEMENT per a cycle


5,0 cm³

VOZILO / VEHICLE



2,6 kg




symbol



položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point

Pogled "x"
View "x"



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev Ø 6 / Ø 6 pipe

OZNAKA / DESIGNATION

OEM:

KAPACITET za jedan ciklus / DISPLACEMENT per a cycle


5,0 cm³

VOZILO / VEHICLE





2,6 kg

symbol




položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point



Pogled "x"
View "x"



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev Ø 6 / Ø 6 pipe



OZNAKA / DESIGNATION

1378531(020653170)

KAPACITET za jedan ciklus / DISPLACEMENT per a cycle


4,0 cm³

VOZILO / VEHICLE

SCANIA




2,5 kg

symbol



položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev Ø 6 / Ø 6 pipe



OZNAKA / DESIGNATION

OEM: 1422640(003034261)

KAPACITET za jedan ciklus / DISPLACEMENT per a cycle


4,0 cm³

VOZILO / VEHICLE

SCANIA




2,5 kg

symbol



položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev Ø 6 / Ø 6 pipe



OZNAKA / DESIGNATION

OEM: 1375497(994124526)

KAPACITET za jedan ciklus / DISPLACEMENT per a cycle


4,0 cm³

VOZILO / VEHICLE

SCANIA




2,5 kg

symbol



položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev Ø 6 / Ø 6 pipe

OZNAKA / DESIGNATION

OEM: 1075295(043182333)



KAPACITET za jedan ciklus / DISPLACEMENT per a cycle

4,0 cm³


VOZILO / VEHICLE

SCANIA

2,5 kg




symbol



položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point

Pogled "x"
View "x"



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev Ø 6 / Ø 6 pipe

OZNAKA / DESIGNATION

OEM: 1378528(970636890)



KAPACITET za jedan ciklus / DISPLACEMENT per a cycle

5,0 cm³


VOZILO / VEHICLE

SCANIA

2,5 kg




symbol



položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point

Pogled "x"
View "x"



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev Ø 6 / Ø 6 pipe

OZNAKA / DESIGNATION

OEM: 000 553 39 01


KAPACITET za jedan ciklus / DISPLACEMENT per a cycle

4,6 cm³


VOZILO / VEHICLE

MERCEDES

2,4 kg




symbol



položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev Ø 6 / Ø 6 pipe



OZNAKA / DESIGNATION


OEM: 000 553 79 01

KAPACITET za jedan ciklus / DISPLACEMENT per a cycle
4,6 cm³

VOZILO / VEHICLE
MERCEDES



2,4 kg

symbol



položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev ø 6 / ø 6 pipe



OZNAKA / DESIGNATION


OEM:

KAPACITET za jedan ciklus / DISPLACEMENT per a cycle
5,9 cm³

VOZILO / VEHICLE
MERCEDES



2,4 kg

symbol



položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev ø 6 / ø 6 pipe

OZNAKA / DESIGNATION


OEM:

KAPACITET za jedan ciklus / DISPLACEMENT per a cycle
10,1 cm³

VOZILO / VEHICLE
MERCEDES



3,4 kg

symbol



položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point



- ① Podizanje / Lifting
- ② Spuštanje / Returning
- ③ Nalivnik - oduška
Oil filling - Air vent
- ④ Za cev ø 6 / ø 6 pipe

OZNAKA / DESIGNATION

OEM:


KAPACITET za jedan ciklus / DISPLACEMENT per a cycle

10,0 cm³

VOZILO / VEHICLE



2,5 kg

symbol



položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point



③ Nalivnik - oduška
Oil filling - Air vent

⑤ O - ring 8,3x2,4

OZNAKA / DESIGNATION

OEM:

KAPACITET za jedan ciklus / DISPLACEMENT per a cycle


6,9 cm³

VOZILO / VEHICLE

KAMAZ

3,0 kg



symbol




položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point

Pogled "x"
View "x"



↑x



① Podizanje / Lifting

② Spuštanje / Returning

③ Nalivnik - oduška
Oil filling - Air vent

④ Za cev Ø 6 / Ø 6 pipe

OZNAKA / DESIGNATION

OEM:

KAPACITET za jedan ciklus / DISPLACEMENT per a cycle


6,9 cm³

VOZILO / VEHICLE

KAMAZ *)

3,0 kg



symbol




položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point

Pogled "x"
View "x"



↑x



*) Vidi radnu tečnost
See working fluid

① Podizanje / Lifting

② Spuštanje / Returning

③ Podizanje rezerv.točka
Lifting spare wheel

④ Spuštanje rezerv.točka
Returning spare wheel

⑤ Nalivnik - oduška
Oil filling - Air vent

⑥ Za cev 6 / 6 pipe



OZNAKA / DESIGNATION


OEM:

KAPACITET za jedan ciklus / DISPLACEMENT per a cycle
11,0 cm³

VOZILO / VEHICLE
BERLIET

 **5,8 kg**


symbol




položaj ugradnje:
vertikalan, oduška
na najvišem nivou

mountig position:
vertical, air vent
at the highest point

Pogled "x"
View "x"



- ① Podizanje / Lifting
- ② Spuštanje / Returning



← x

